

**Confidential Document** 

#### **APPLIES TO:**

EMAIL SETUP

#### SUMMARY

This article explains how to Perform the EMAIL SETUP.

#### **AUTHOR:**

K.VENKATA RAMU.

#### **COMPANY:**

WILLSYS INFOSYSTEMS Pvt. Ltd.,

#### **CREATED ON:**

10<sup>th</sup> Feb 2015.



#### Page1of8



### **Confidential Document**

### EMAIL SET UP

- 1. Start transaction SCOT and go to View --- System Status
- 2. Double-click on **SMTP node** and a **popup** will display below:
  - Provide description as Mail server.
  - Check the check box "Node in use"
  - Provide Mail host Address with full Domain along with port number (25 is default)
  - Specify the code page
  - Click on internet push button "Set".

Nodes Edit Goto View Settir	igs Utilities Syst	em Help 🗋	SAPconnect: General node data
	🗏 I 🕲 🚱 I 🗐		General information
SAPconnect: Admin	stration (sy	stem sta	Description
🗋 🖉 🗞 🖸 😥 🛱 🖸	2 🕑   🖽 📾 🕀		Maximum waiting time for repeat send attempt procedure:
Start of evaluation time	: 20.08.2013 00	):00	Vode in use
	Completed Erro	or In	SMTP Connection
W12(001)	0	0	Mail Host willsys.mail.com
WI3(001)	0	0	Mail Port 25
FAX Telefax	0	0	Code Page Without intervention and wrong character set
	0	0	
SMTP	0	0	Supported address types
X40 X.400	0	0	☑ Internet Set
RML Remote Ma	0	0	Pager (SMS) Set
PAG	0	0	
- PAL	U	U	Last changed by DDIC on 21.08.2013

#### P a g e 2 of 8



### **Confidential Document**

3. Pop up appears: Provide \* (asterisk) mark in the address area and Continue Select the output format for SAP documents- pdf/HTM/TXT...

on			
SMTP			
Mail Server			
Internet			
	Add	ress area	
			-
			-
201			•
or SAP Documents			
Forms	PDF	-	
	HTM	-	
t/Link	TXT	-	
	TYT	-	
	on SMTP Mail Server Internet 	on SMTP Mail Server Internet Add or SAP Documents t Forms FDF HTM tt/Link	on SMTP Mail Server Internet Address area Address area

4. Now go to **Settings** in the **main menu** → **default domain** and **define** the domain of the SAP system client. And **continue.** 

SAPconnect: Internet Mail Addresses			
Default domain	willsys13.co.in	]	
		<b>VX</b>	
26日前日35日	A A 🗖 📾 🚯		



## **Confidential Document**

5. Click on Settings → Send jobs .In the subsequent Screen, Click on the Create button to Select Schedule job for INT option. New pop up: Continue

APconnect: Administrat	tion (svste	m status)	Job Variant	SAPCONNECT INT SEND 1 SAP6CONNECTINT
APconnect: Active and Scheduled Ser	nd Jobs		Variant Values	
Active and Scheduled S	聞いす。 Gend Jobs	<b>B.</b>	AddrType No. Work Processes Server group	Internet mail address •
ob	AddrType	Period		Details
REETING SCHEDULE AT 11A.M.	INT	Smin		
IEETING SCHEDULE AT 11A.M.	INT	5min	Job Values	
IEETING POSTPONED	INT	Smin	Start Immed.	
APCONNECT INT SEND	INT	10min	Period Planned Start Background User	10 min. 15:00:00 DDIC
				Continue

> Now the job is scheduled periodically for every **10 min.** 

Start condition	🐉 Step   🤽 Job selection 🛛 🕞 Own job	os 🎾 Job wizard Standard jobs
eneral data Job name Job class Status Exec. Target	A Scheduled	Spool list recipient
ob start Planned Start Date 21.	08.2013 Time 15:00:00	Job frequency 10 Minute(s)
Date 21.	08.2013 Time 15:00:00	

P a g e 4 of 8

http://sapway.com and http://willsys.net are sponsored sites of Willsys Infosystems Flat -101-104, Rama Residency, S.R. Nagar, Hyderabad-500038



# **Confidential Document**

6. Execute T Code – **SO00** to trigger emails from SAP system to either internal or

External emails (external email should be allowed on the mail server). Fill the required fields

Appears on the screen and press send button.

Pocument Edit Goto Insert System Help [	] 🛱 🖾 🔁 🥇		
🞯   so00 🔍 🖓   📙   😋 🚱 🚷	☐ H H I \$ \$ \$ \$ \$ \$ \$ \$		
Create Document and Send			
T D			
Title Ms			
Document contents Attributes			
Meeting is postponed			
	*   OVR	Li 1, Co 4   Ln 1 - Ln 1	of 1 lines
Recipient Trans options			
Recipient	Recip. type 🛛 🕄 🖶 Selec	t Commu	
xyz@xyz.com	Internet address	<b>^</b>	
	- O O O		
		•	
Document moved to folder Outbox.	SAP	► 5000	) ▼   willsys13   OVR

Page5of8



## **Confidential Document**

- 7. Check the email statuses in the following transactions:
  - a) Tcode **SOST** if required choose extra options in sender tab to send multiple mails at a time.

APconnect:	Transmissi	on Requests	1 _				
🗴 🛛 🛐 Refresh 😤	E			Restrict Value Range			
Period Sen	d status Send	ler Options		User Group	User		
)Waiting ]Errors ]Sent	Further		the second	User name User group			4           4           4
Execute Cl	ose		) <del>,</del>	Restrict number to	500 No	restriction	
Sond Poquests ()			-				A 19
Send Requests ()	Vaiting, Sent and I	ncorrect)					<b>V</b>
Send Requests () Status Send Me	Vaiting, Sent and I	ncorrect)	-		necipient	21.09.2013	✓ €
Send Requests () Status Send Mer	Vaiting, Sent and In Doc. Title	ncorrect)			xyz@xyz.com	21.08.2013	2000 Circle Circ
Send Requests (1) Status Send Mer via Intern	Vaiting, Sent and Iu Doc. Title et Ms et /nso00 et Mr	ncorrect)			xyz@xyz.com xyz1@xyz1,com xyz3@xyz3.com	21.08.2013 21.08.2013 21.08.2013	14:59:18 14:45:04 13:12:15

Page6of8



## **Confidential Document**

b) Tcode – **SBWP** is internal mail server to trigger messages between **SAP** users. There may be a delay in message processing at external/mail server apart from the background job delay of 10min.

Workplace Edit Goto Folder Environment Se	ettings System Help 🗅 🛱 🖼 🔁 🢡	
🎯   <mark>[sbwp]</mark> (1   🔲   🗞 🚱 🚷	□ ■ ■ ■ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	
Business Workplace of DDIC		
☞ New message 🎁 Find folder 🛗 Find docum	ment  📴 Appointment calendar 🛛 💁 Distribution lists	
Vorkplace: DDIC	9 D. 7.2 . 1	
· ⊘ Inbox - ≫ Outbox	Documents 6	
Documents           Started workflows	T     Title     At     Send date     Send Time     Recipient       B:     Ms     21.08.2013     14.5918     wr@wr@com	
<ul> <li>Work items executed by me</li> <li>Forwarded work items</li> </ul>	kyzewyz.so           ky	
Gesubmission     Gesuper for the second	Image: Constraint         Constraint	
General folders     General folders     General folders	Br 00:00:00	
<ul> <li>Trash</li> <li>Shared trash</li> </ul>		
	۲. <u>۲۲</u>	Þ
	Ms	
	Masting Postnoned	
	meeting rosiponed	

Page7 of 8



### **Confidential Document**

# Related Content:

http://service.sap.com http://support.sap.com www.help.sap.com www.sdn.sap.com/irj/sdn/index.

# Disclaimer and Liability Notice:

WILLSYS will not be held liable for any damages caused by using or misusing the information, code or methods suggested in this document, and anyone using these methods does so at his/her own risk.

WILLSYS offers no guarantees and assumes no responsibility or liability of any type with respect to the content of this technical article or code sample, including any liability resulting from incompatibility between the content within this document and the materials and services offered by WILLSYS. You agree that you will not hold, or seek to hold, WILLSYS responsible or liable with respect to the content of this document.

Page8of8