

## **Confidential Document**

#### **APPLIES TO:**

Languages

#### SUMMARY

This article explains how to Deploy Languages in the SAP system.

#### AUTHOR:

K.VENKATA RAMU.

#### COMPANY:

WILLSYS INFOSYSTEMS Pvt. Ltd.,

#### CREATED ON:

2<sup>nd</sup> November 2011.





### **Confidential Document**

#### LANGUAGES (I18N, SMLT)

1. Goto <u>www.service.sap.com/swdc</u> and download the languages based on component.

🄇 💽 C 🗙 🏠 🛄 sap-ag.d	https://websm	o210.sap-ag.de/sw	dc			☆ 🔹 💽 - MyStart	Search
M Willsys Infosystems Pvt.Ltd Mail - Sear 🗵	SAP Support	: Portal - Softwar	re Do🔽 🔶				
	Welcome, K M	lanjulatha				Search	📀 Adva
SOPPORT PORTAL	my Profile n	ny Inbox   my Favo	orites			Quick Links   Sitemap	Glossary FAQs
HOME Help & Support Software Downloads	Keys & Reque	sts Data Adminis	tration Maintenance & S	iervices SAP Solution Manager Release & Upgrade Info Ki	nowledge Exchang	e	
Software Download Center Support Packages ar	nd Patches Ins	tallations and Up	pgrades BusinessObje	tts Downloads Database Patches Download Basket Addi	tional Download In	fo	
<ul> <li>Installations and Upgrades</li> </ul>	Microsoft SQL-	Server					
<ul> <li>My Company's Application Components</li> </ul>	1 му сог			COMPONENTS	Can't find the so	oftware you are looking	<u>for?</u>
• A - Z Index							
Browse our Download Catalog	My Company	s Application Compo	onents" My Company's Soft	ware" SAP ERP" SAP ERP 6.0			
Search for Installations and Upgrades							
<ul> <li>Ramp-up Releases and Beta Sortware</li> <li>Installation and Upgrade Guides</li> </ul>		< 0.					
	SAP ERP	0.0					
my DOWNLOAD BASKET	Produ	ct Availability, Main	tenance Dates & Supporte	d Platforms			
<u> </u>	- Insta	Bacton and opur	aue				
Quick Link Information		Microsoft S	QL-Server				
Access this topic directly at http://service.san.com/installations							
	Langu	lage Version					
Terms of Use Copyright Privacy Imprint	Applic	ation Help (SAP Lib	rary)				
	SAD N	VERSION					
	SAP N	letWeaver 7.0					
Installations and Upgrades	-	61F	31031090	CD DAF AF 7.00 AUG-OTEES(alia001)	<u>2110</u>	172707	20.07.2003
• My Company's Application Components		ZIP	51031629 5	SAP ERP 2005 Lang.Rescue-File DE (SAP Note: 922783)	<u>Info</u>	615956	28.09.2011
• A - Z Index		ZIP	<u>51031629_6</u>	SAP ERP 2005 Lang.Rescue-File EN (SAP Note: 922783)	<u>Info</u>	511857	28.09.2011
Browse our Download Catalog		ZIP	<u>51032364_3</u>	SAP ERP 2005 SR2 Lang.Rescue-File DE (SAP Note: 922783)	<u>Info</u>	638277	30.04.2007
Search for Installations and Upgrades     Pamp-Lin Peleases and Beta Software		ZIP	<u>51032364_4</u>	SAP ERP 2005 SR2 Lang.Rescue-File EN (SAP Note: 922783)	<u>Info</u>	540864	30.04.2007
Installation and Upgrade Guides		ZIP	<u>51033496 1</u>	ERP 6.0 SR3 Language DE,EN	Info	1003571	18.03.2008
	<b>V</b>	ZIP	51033496_2	ERP 6.0 SR3 Language FR, IT, PT	Info	994294	18.03.2008
		ZIP	51033496_3	ERP 6.0 SR3 Language CA, DA, ES, FI, NL, NO, SV	Info	1302196	18.03.2008
	<b>V</b>	ZIP	51033496_4	ERP 6.0 SR3 Language CS,EL,HR,HU,PL,SK	Info	1106719	18.03.2008
Quick Link Information		ZIP	51033496 5	ERP 6.0 SR3 Language AR, BG, RO, RU, SH, SL, TR, UK	Info	1161137	18.03.2008
Access this topic directly at	<b>v</b>	ZIP	<u>51033496_6</u>	ERP 6.0 SR3 Language JA,KO,TH,ZF,ZH	<u>Info</u>	1113025	18.03.2008
http://service.sap.com/installations		EXE	<u>51033500 1</u>	SAP ERP 6.0 SR3 Installation Export 1 of 6	Info	976563	17.03.2008
Terms of Use Copyright Privacy Imprint		RAR	51033500 2	SAP ERP 6.0 SR3 Installation Export 2 of 6	Info	976563	17.03.2008
		RAR	51033500 3	SAP ERP 6.0 SR3 Installation Export 3 of 6	Info	976563	17.03.2008
		RAR	51033500 4	SAP ERP 6.0 SR3 Installation Export 4 of 6	Info	976563	17.03.2008
		RAR	51033500 5	SAP ERP 6.0 SR3 Installation Export 5 of 6	Info	976563	17.03.2008
		RAR	51033500 6	SAP ERP 6.0 SR3 Installation Export 6 of 6	Info	571945	17.03.2008
		EXE	<u>51033501 1</u>	SAP ERP 6.0 SR3 Upgrade Export 1 of 12	Info	976563	17.03.2008
		RAR	<u>51033501 10</u>	SAP ERP 6.0 SR3 Upgrade Export 10 of 12	<u>Info</u>	976563	17.03.2008



## **Confidential Document**

🗁 \\192.168.100.151\d\$\D	UMP\0TI	HERS\ECC6.0 SR2 Lang				_ D ×	
<u>File E</u> dit <u>V</u> iew F <u>a</u> vorites	<u>T</u> ools	Help					
😮 Back 🔻 🕥 👻 🏂 Search 😰 Folders 🛛 🔛 🕶							
4ddress 🛅 \\192.168.100.151\d\$\DUMP\OTHERS\ECC6.0 SR2 Lang 🔽 🔁 Go							
		Name 🔺	Size	Туре	Date Modified	Attributes	
File and Folder Tasks	×	LANG1		File Folder	1/15/2011 8:34 AM		
		LANG2		File Folder	1/15/2011 8:34 AM		
Other Places	*	Calang3		File Folder	1/15/2011 8:35 AM		
		Calang4		File Folder	1/15/2011 8:36 AM		
0 OTHERS		Call LANG5		File Folder	1/15/2011 8:36 AM		
My Documents		Caller Contraction Contractica		File Folder	1/15/2011 8:37 AM		
😡 My Computer		CDLABEL.ASC	1 KB	ASC File	11/3/2006 3:07 PM	А	
My Network Places		CDLABEL.EBC	1 KB	EBC File	11/3/2006 3:07 PM	А	
3		COPY_TM.HTM	10 KB	Firefox Document	5/16/2006 12:10 PM	А	
		E COPY_TM.TXT	6 KB	Text Document	5/16/2006 12:10 PM	А	
Details	×	CRCFILE.DAT	2 KB	Video CD Movie	11/3/2006 3:11 PM	А	
		LABEL.ASC	1 KB	ASC File	11/3/2006 3:07 PM	А	
		🖬 LABEL.EBC	1 KB	EBC File	11/3/2006 3:07 PM	А	
		LABELIDX.ASC	1 KB	ASC File	9/26/2006 1:22 PM	А	
		SHAFILE.DAT	4 KB	Video CD Movie	11/3/2006 3:15 PM	А	
		VERSION.ASC	1 KB	ASC File	11/3/2006 3:07 PM	А	
		d VERSION.EBC	1 KB	EBC File	11/3/2006 3:07 PM	А	
17 objects				20.2 K	3 🤨 Internet	//	

The files are downloaded successfully.

Select the Language that you want to install and Copy the .PAT files into /usr/sap/trans/EPS/in

directorv						
D:\usr\sap\trans\EP5\in						
<u>File E</u> dit <u>V</u> iew F <u>a</u> vorites <u>T</u> ools	Help					
🚱 Back 🝷 🕤 👻 🏂 🔎 Search 🌘	🏷 Folders 🛛 🔝 🗸					
Address 🛅 D:\usr\sap\trans\EPS\in						💌 🄁 Go
	Name 🔺	Size	Туре	Date Modified	Attributes	
File and Folder Tasks 🛛 🕆	FRECC62F.PAT	322,984 KB	PAT File	9/26/2006 12:56 PM	A	
Rename this file						
😰 Move this file						
Copy this file						
🚳 Publish this file to the Web						
📄 E-mail this file						
🗙 Delete this file						

Login with 000 with copy of ddic user



#### **Confidential Document**

⊡ <u>U</u> ser S <u>v</u> stem	Help
Ø	- 4 🔲   😋 😪   🖴 🛗 🎇   谷 岱 岱 🎘   🐺 🖉   🕲 🖷
SAP	
New password	
Client	000
User Password	SAPUSER
Language	





#### **Confidential Document**

Goto System Help		
	2 😪   🖴 🛗 🛗   2 12 12 20 20 1 😹 🛃	9 🖪
RSCPINST: NLS Setting Mainte	enance	
Current NLS config	/ate 📕	
Enter Language	Enter country (preferred code page)	
Locale check		
Enable locale check		
Profile parameter output order  Sorted by application server  Sorted by profile parameter		
		DEV (1) UUU 🔄 Willsysdev OVR
	🙆 😡 I 🚨 🗄 🛗 I 🎝 🏠 🏠 🏹 🕅	
RSCPINST: NLS Setting Maint	enance	
😚 Current NLS config 📴 Simulate 🌴 Acti	vate 🚹	
Enter languages	Enter country (preferred code page)	
Key Language       EN English       V <td< th=""><th>Code Name of country code</th><th></th></td<>	Code Name of country code	
Insert Row Extend Language List		
Locale check		
Profile parameter output order Sorted by application server		

Click on "Add" Button and add the languages to install

Select the language and click on ok



#### **Confidential Document**

Ø I (I (C	0, C)	😂   🕱 🗾   😰 📑	
RSCPINST: NLS Setting Main	tenance		
🗞 Current NLS config 🔛 Simulate 🏋 Ac	tivate		
Enter language	Enter country (preferred code page)   Code Name of country code   Unicode Unicode     Image: Code Image: Code     Image: Code Image: Code		
Enable locale check      Profile parameter output order     Sorted by application server     O Sorted by profile parameter			
Ē			
Goto System <u>H</u> elp	A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1	8 8 0 8	SAL
RSCPINST: NLS Setting Main	itenance		
🔗 Current NLS config 🔛 Simulate 🕴 A	ctivate 📘		
Enter languages	Activation. Database update. (F5)		
👌 Start 🛛 🞯 🧔 🔤 🔤 lang.doc - Microsoft '	Word 🛛 🕅 SAP Logon 710	RSCPINST: NLS Settin	I HBN III Wildas INS           INS         INS         INS           INS         INS         INS         INS



### **Confidential Document**

#### Click on "Activate" option $\rightarrow$



Click on Yes→it will generate a new parameter value zcsa/installed\_languages

Cr Goto System Help	
RSCPINST: Activation	
Language(s): EN (E ) English FR (F ) French	()   
Country code: No country selected	
Results:	
Code page configuration type: Unicode configuration	
Processed language entry: EF	
TCPDB for Unicode configuration (should be empty): <empty></empty>	
Tasks:	
Required OS locales and their current status: Off Locale check not required for Unicode	
Required profile parameter modifications: RSCPINST does NOT change the value of profile parameter. Please check the value of below parameter(s) after activation. 1) Please update <mark>Ecsa/installed_languages</mark> e.g. Copy the new value and paste it into a field in transaction RZ10	
New: EF Current (sorted): wilqas_QAS_00 DE	
<ol> <li>Please proceed with Check result for below parameter(s):</li> <li>Checked and no inconsistency found.</li> </ol>	
	D   118N 🖪   wilqas   INS   🛛 🥢
🏄 Start 🛛 🧭 🖉 🖉 lang.doc - Microsoft Word 🛛 💭 SAP Logon 710	Activation 🕞 📴 😏 3:57 PM



#### **Confidential Document**

2. Execute RZ10 to change the parameter zcsa/intalled\_languages value



Page 8 of 20.



#### **Confidential Document**

🖉 🚺 4 📙 😋 🚱	8 I 🗕 H H I 12 12 A 2 I 🗷 🗷 I 🖗 🖪
Maintain Profile 'DEV_DVEBMGS	00_WILLSYSDEV' Version '000003'
Copy 🎾 🖆 🗋 Parameter 🖉 Parameter 🖧	Parameter
02.11.2011 Create (F5) Active pa	rameters 15:56:56
Parameter Name	Parameter value
login/no_automatic_user_sapstar	9
SAPSISIEMNAME SAPSI OBALHOST	UEV willsverdev
SAPSYSTEM	80
INSTANCE_NAME	DVEBM6500
DIR_CT_RUN	\$(DIR_EXE_ROOT) \\$(OS_UNICODE) \NTI386
DIR_EXECUTABLE	\$(DIR_INSTANCE) \exe
PHTS_MEMSIZE	512 6
rdisp/wp_no_dra	3
icm/server_port_0	PROT=HTTP,PORT=80\$\$
ms/server_port_0	PROT=HTTP, PORT=81\$\$
rdisp/wp_no_enq	1
rdisp/wp_no_vb	
rdisp/wp_no_vpz	
DIR CLIENT ORAHOME	\$(DIR EXECUTABLE)
Parameter Edit Goto System Help	
Maintain Brafila IDEV, DVERMOS	NO. WILLOVODEVI Version (000002)
Copy 🦻 🛃 Line 🛋 PARAM+ 🔻	PARAM
Parameter name:	Status Seq. no.
zcsavinstaneu_languages	
Parameter val.:	
EF	
Unsubstituted standard value:	
DE	
Substituted standard value:	
DE	
Comment	
#	
/*	
Click on copy	
Parameter Edit Goto System Help	
	2   B () () () () () () () () () () () () ()
Maintain Profile 'DEV_DVEBMGS	00_WILLSYSDEV' Version '000003'
Copy 🌮 🛃 Line 🖬 Line 🔺 PARAM+ 🔻	PARAM

Copy (Shift+F4)



# **Confidential Document** LANGUAGE DEPLOYMENT 🖻 Activate profile × Do you want to activate the profile? 0 Yes No × Cancel 📴 Information × A Profile DEV\_DVEBMGS00\_WILLSYSDEV (version 000004) saved and activated ନ୍ଥ ē Caution ! Caution ! Caution ! × The effect of activating a profile is simply that the profile is stored at operating system level (see administration data). For the profile to take effect for a particular application server, you have to restart the application server. 間 🗙 $\checkmark$ Click on save to activate the changed values

We need to restart the system so that the changed parameters will effect



## **Confidential Document**



' <mark>m</mark> sapmmc					
<u>File Action View Favorites</u>	<u>W</u> indow <u>H</u> elp				
Console Root\SAP System:	s\DE¥\willsysdev 0\P	rocess List			IX
Console Root	Process	Description	Status	Start time	E
E DEV E ■ willsysdev E ■ willsysdev 0	<ul> <li>msg_server.EXE</li> <li>disp+work.EXE</li> <li>igswd.EXE</li> </ul>	Messageserver Dispatcher IGS Watchdog	Stopped Stopped Stopped	2011 11 02 10:09:11 2011 11 02 10:09:11 2011 11 02 10:09:11	
● Process List ⊕					
È∰ Syslog ਦ∰ Queue Statis ∓Se ABAP WP Tat					
	•				ы

Page 11 of 20.

WILLSYS INFOSYSTEMS Pvt. Ltd.,



## **Confidential Document**

🚡 sapmmc					ſ	- 🗆 ×
<u>File Action V</u>	<u>File A</u> ction <u>V</u> iew Fav <u>o</u> rites <u>W</u> indow <u>H</u> elp					
← → 1 1						
🚡 Console Roo	t\SAP Systems\	DEV\willsysdev 0\Pi	rocess List		-	
Console Root	t 📃	Process	Description	Status	Start time	E
🖻 🖅 SAP Syst	ems (	msg_server.EXE	MessageServer	Stopped	2011 11 02 10:09:11	
║ ▫▫◙ਞ	Start	rk.EXE	Dispatcher	Stopped	2011 11 02 10:09:11	
	Stop	ξE	IGS Watchdog	Stopped	2011 11 02 10:09:11	
	Shutdown					
÷	Version Info					
	All Tas <u>k</u> s	•				
	New <u>W</u> indow fro	m Here				
	<u>D</u> elete					
	Re <u>f</u> resh					
	P <u>r</u> operties					
	Help					

🚡 sapmme					_ 🗆 🗡
<u>File Action View Favorites</u>	<u>W</u> indow <u>H</u> elp				
Console Root\SAP System	s\DE¥\willsysdev 0\P	rocess List			- <b>D</b> ×
Console Root	Process	Description	Status	Start time	E
AP Systems	msg_server.EXE	MessageServer	Running	2011 11 02 17:05:07	I
	🌻 disp+work.EXE	Dispatcher	Running, Message	2011 11 02 17:05:07	I
	🌻 igswd.EXE	IGS Watchdog	Running	2011 11 02 17:05:08	I
					I
Elever Current Statu					I
⊕ Ø Open Alerts					I
					I
🕀 🕣 Queue Statisl					I
🗄 💑 ABAP WP Tat					I
ICM ⊡					I
					I
					I
					I
					I
					I
					I
					I
	4				E D

Login to 000 with a copy of ddic user



#### **Confidential Document**

로 <u>U</u> ser System	Help	
Ø	▼ 4 🔲   C 😧 🔇   🖵 🖬 🛃   S 🏵 ມ S   🛒 🖉	]   😨 🖫
SAP		
New password		
Client	000	
User Password	SAPUSER	
Language		
Execute SMLT	→	
⊡ Menu <u>E</u> dit <u>F</u> avorites Ext	<u>a</u> s System <u>H</u> elp	SAP
SMLT]	〕 ◁ 🖯 । © 🚱 ⊗   🗅 🛗 🔛 🏝 🏝 🏝 🎗   👷 🖪 🔮 🖫	
SAP Easy Access	ru   😹 🗟 🖉   💌 🔺   🕞 Create role   🚳 Assign users 📴 Documentation	
Favorites     SAP menu     Office     Cross-Application Co     D     Office	mponents	CE SON
Click on create	language $\rightarrow$ specify the language and supplement	ary language
Ø [	] 4 🗏 ( 2 2 3 4 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	
Language Manage	ment	

Language

1 ≽ 🛃 1 ≽ 🛃

Overview



#### **Confidential Document**

년 Language Edit Goto S	System <u>H</u> elp	. 8	SAP
Ø	I 4 🛛 I 🕲 🙆		ÿ
Language Manag	ement		
🗋 Language 🛐 🕏 🗲	Documentation	E Legend	
Overview			
D C English		Classify Language	_
		General       Language     French       ISO Code     0       Code Page     0       Derive of Translation     0	
		Supplementation Language	
		Last Changed On/By User Date Time 00:00:00	
		System Data System Language English I Secondary Language German I Unicode System	
		X Documentation	
		Save (Ctrl+S)	
C Selection crit	eria save? ecify a suppler	⊠ nentation language once	
Yes	3	<mark>&amp; No</mark>	
C Information			
🕦 Language	e key FR succe	essfully saved	

Click on ok



#### **Confidential Document**

E Language Edit Goto System Help	
🖉 🔰 4 日 6 6 6 8 日 6 6 6 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8	
Language Management	
🗋 Language   🗃 🗟   😰 Documentation 🔢 Legend	
Overview         Image: Constraint of the second s	

#### Click on import package button

Specify the path  $\space{list}$  sap $\space{list}$  Specify the path  $\space{list}$  sap $\space{list}$  s

Erimport Language/Pac	kage				×
General Data				Start Details	
Language	French			Start Imn	nediately
Path	D:\usr\sap\trans\EPS	un		O Schedule	e Start
				Date	02.11.2011
🥋 🛛 Find Package	(s) 🗔 F	rom Front End	Settings	Time	16:04:22
Find Bookogoo					
Al-muratkages				Start on I	nstance
Package	Ty. Status	Description			<u> </u>
		_			
		_		Ð	Execute
		_			
		_			
_					
		-			
		-			
		-	 		
		-	 		
				11	
				<u>.</u>	
lu fa ma aka n					
Information			 		
wessage					
🔶 😰 Documentatior	1				

Click on setting Button  $\rightarrow$ 



LANGUAGE DEPLOYMENT	<b>Confidential Document</b>
🖙 Import Language/Package 🛛 🖂 🖊	
Settings	
Display Packages of All Languages	
Number of Parallel Import Processes 1	
Warning Instead of Error in Component Test Warning Instead of Error for Prerequisites	
Check Original Language at Import	
Client Response to Self-Made Packages  Import into Current Client Import into All Clients	
Import Language/Package         General Data         Language       French         Path       D:lusrlsapltrans\EPS\in         Image       Find Package(s)         Image       From Front End	Start Details Start Immediately O Schedule Start Date 02.11.2011 Time 16:04:22
Available Packages	Start on Instance
Package Ty. Status Description	willsysdev_DEV_00
SAPKLERN19         Saperation         Saperat	Execute Action
Information Message 🥷 Read the Notes displayed with the packages	
E Documentation	

Page 16 of 20. WILLSYS INFOSYSTEMS Pvt. Ltd.,



## **Confidential Document**

Click on start on instance, specify the system $\rightarrow$ click on execute	
🔄 Selection criteria 🛛 🛛 🛛	1
Import package SAPKLFRN10 ? Yes	
Click on yes to import the languages	_
Emport Language/Package	$\mathbf{X}$
Information Message () SAPKLFRN10 Import scheduled	
Click on ok	
Language Edit Goto System Help	SAP
	Sec. 2
Language 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Overview         Inglages         Inglages         Image: Serman         Image: Serman<	
	P DEV (1) 000 EI Willsysuev Ovik



#### **Confidential Document**

#### MONITORING: STMS, SM37, SM50, SM66

#### EXECUTE STMS $\rightarrow$



Select your system and double click

#### Page 18 of 20.

WILLSYS INFOSYSTEMS Pvt. Ltd.,



#### **Confidential Document**

🖻 <u>Q</u> ueue												_ = = ×	
	<u>E</u> dit <u>G</u> oto	<u>R</u> equest Ext	as Environ	nent System <u>H</u> elp									
<b>Ø</b>		- 4 🗉 🛙 😋	🙆 🚷 I 🖨	HA HA I 20 40 40 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 <b>E</b>								
	<b>~</b> ~												
Import	Queue: Sy	stem DEV											
<u>0</u> 8 8	' ¶, €, ¶ £i	•   &r 🖹 🤻	🗟   🛆 🖊	🛼 📧 🖉 🤯 🔣 🖉									
													-
📙 Request	ts for DEV: 8	/ 10				02.11.2011 18	8:12:45						Ť
Number	Request	Owner	Short Tex	:			St						
1	SAPKI ERN10	D822369	Language	FCC 608 / SR2	FR 22 89 2886								
2	SAPKLFRN11	D822369	Language	ECC 600 / SR2 FR [SAPKLFRN10/1]	111 22.00.2000		Ď						
3	SAPKLERN12 SAPKLERN13	D822369 D822369	Language	ECC 600 / SR2 FR [SAPKLFRN10/2] ECC 600 / SR2 FR [SAPKLFRN10/3]									
5	SAPKLFRN14	D022369	Language	ECC 600 / SR2 FR [SAPKLFRN10/4]			ŏ						
6	SAPKLERN15 SAPKLERN16	D022369 D022369	Language	CC 600 / SR2 ER ISAPKLERN10/61									
8	SAPKLFRN17	D022369	Language	ECC 600 / SR2 FR [SAPKLFRN10/7]									
9	SAPKLERN18	D822369	Language	ECC 600 / SR2 FR [SAPKLFRN10/8]									
10	ONFREEMATS	0022308											
													4 4
					SAD					۵	STMS 🕶 🕅	willsysdev   INS	4 4
<sup>1</sup> bic ic	the le				SAP					۵	STMS 💌 🛛	willsysdev   INS	4 *
'his is	s the lo	ıgs			547					Þ	STMS 💌 🕯	willsysdev   INS	•
'his is Ve sh	s the lo	e all a	re in (		547					₽	STMS 💌 🖡	willsysder   INS	•
This is Ve sh	s the lo ould se	es all a	re in (	ok						Þ	STMS 💌 🕅	willsysdev   INS	•
This is Ve sh	s the lo ould so	egs ee all a	re in (	ok	SAP			88 87 2	•A11 19**	24 · 24	STMS ▼ N	willsysder   INS	•
°his is Ve sh ≩ Reques	s the lc ould so	9 <b>gs</b> ee all a 1: 2 / 13	re in (	ok	547			08.07.2	1011 19::	► 24:24	STMS ▼ \	willsysder   INS	•
This is Ve sh	s the lo ould so	9gs 2e all a 7: 2 / 13	re in o	ok	<u>s</u> ,			08.07.2	1011 19:1	24:24	STMS ▼ I\	willsysder   INS	•
This is Ve sh ⊋Reques Number	s the lc ould so sts for DEV Request	gs ee all a ': 2 / 13 Owner	re in o	D <b>k</b> Short Text	517			08.07.2	1011 19:3	D 24:24 St	STMS ¥ N	willsysdev INS	• •
This is Ve sh Reques Number	s the lc ould su sts for DEV Request	gs ee all a ': 2 / 13 Owner B sapiist	re in o	Dk Short Text				08.07.2	:011 19::	24:24	STMS 👻 🖡	willsysdev INS	• •
This is Ve sh → Reques Number	s the lo ould so sts for DEV Request DEVK90000	ee all a 2 / 13 0 wner 18 SAPUSE SAPUSE	re in o	DK Short Text newsinglerole composite role	547			08.07.2	:011 19::	24:24	STMS 🔻 🗤	willsysdev INS	
This is Ve sh Reques Number 1 2 3	s the lc ould se sts for DEV DEVK90000 DEVK90001 DEVK90001	ee all a ': 2 / 13 Owner B SAPUSE SAPUSE SAPUSE	re in o	DK Short Text newsinglerole composite role new	<u>sv</u>			08.07.2	1011 19::	24:24	STMS ¥ N	willsysdev INS	•
This is Ve sh → Reques Number 1 2 3 4	s the lc ould so sts for DEV Request DEVK90000 DEVK90001 DEVK90001	ee all a 2 / 13 0 wher 8 SAPUSE 2 SAPUSE 0 D02236	re in (	Dk Short Text newsinglerole composite role composite role_new Language ECC 600 / SR2		FR 22.09	. 2006	08.07.2	1011 19::	24:24	STMS 👻 🔖	willsysdev INS	•
This is Ve sh Reques	s the lc ould so sts for DEV Request DEVK90007 DEVK90007 DEVK90007 SAPKLFRNI	<b>gs</b> <b>ee all a</b> (; 2 / 13 <b>Owner</b> () <b>SAPUSE</b> () <b>SAPUSE</b> () <b>SAPUSE</b> () <b>SAPUSE</b> () <b>D02236</b> () <b>D0236</b> () <b>D025</b> () <b></b>	re in (	Dk Short Text newsinglerole composite role_new Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI	S [SAPKLERN10	FR 22.09	1.2006	08.07.2	011 19::	24:24	STMS ¥ \	willsysdev INS	••
Chis is Ve sh → Reques Number 1 2 3 4 5 6	s the lo ould so sts for DEV Request DEVK90007 DEVK90007 SAPKLFRMT SAPKLFRMT	Pgs ee all a (: 2 / 13 0wner 8 SAPUSE 2 SAPUSE 0 D02236 1 D02236 2 D02236	re in o	DK Short Text newsinglerole composite role_new Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI	SAF R [SAPKLFRN10 R [SAPKLFRN10	FR 22.09 /1]	1.2006	08.07.2	1011 19:3	24:24 St \$\$	STMS ¥ N	willsysdev INS	•
This is Ve sh → Reques Number 1 2 3 4 5 6 7	s the lc ould so sts for DEV DEVK900001 DEVK90001 SAPKLFRMI SAPKLFRMI SAPKLFRMI	Pgs ee all a ': 2 / 13 0wner 8 SAPUSE 2 SAPUSE 0 D02236 1 D02236 1 D02236 2 D02236	rein ( R R R 9 9 9	Dk Short Text newsinglerole composite role_new Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI	SAFK SAPKLERNIO R [SAPKLERNIO R (SAPKLERNIO R (SAPKLERNIO	FR 22.09 /1] /2] /3]	1.2006	08.07.2	011 19::	► 24:24 St • •	STMS 🔻 🕇	willsysdev INS	•
This is Ve sh Reques Number	s the lc ould so sts for DEV Request DEVK90000 DEVK90000 SAPKLFRMT SAPKLFRMT SAPKLFRMT	Pgs ee all a t: 2 / 13 0wner 8 SAPUSE 0 D02236 2 D02236 2 D02236 3 D02236 4 D02236	re in (	Dk Short Text newsinglerole composite role_new Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI Language ECC 600 / SR2 FI	CSAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10	FR 22.09 /1] /2] /3] /4]	1.2006	08.07.2	:011 19::	Þ 24:24 St V	STMS 👻 🕔	willsysdev INS	
This is Ve sh Reques Number 1 2 3 4 5 6 7 8 9	s the lc ould so sts for DEV Request DEVK90007 DEVK90007 DEVK90007 SAPKLFRNT SAPKLFRNT SAPKLFRNT SAPKLFRNT	Pgs ee all a 0wner 8 sAPUSE 2 sAPUSE 0 D02236 1 D02236 2 D02236 2 D02236 5 D02236 5 D02236	re in (	Short Text mewsinglerole composite role_composite role_composite role_composite role_composite cole_composite cole_composite cole SR2 Fi Language ECC 600 / SR2 Fi	SAFKLERNIO R (SAPKLERNIO R (SAPKLERNIO R (SAPKLERNIO R (SAPKLERNIO R (SAPKLERNIO	FR 22.09 /1] /2] /3] /5]	. 2006	08.07.2	1011 19:3	D 24:24 St St St St	STMS ¥ N	willsysdev INS	
This is Ve sh → Reques Number 1 2 3 4 5 6 7 8 9 10	s the lc ould so sts for DEV Request DEVK900001 SAPKLFRMI SAPKLFRMI SAPKLFRMI SAPKLFRMI SAPKLFRMI SAPKLFRMI	Pgs ee all a ': 2 / 13 0wner 8 SAPUSE 0 D02236 1 D02236 3 D02236 3 D02236 5 D02236 6 D02236 5 D02236	re in ( R R R 9 9 9 9 9 9 9 9 9 9 9 9 9	Dk Short Text newsinglerole composite role_new Language ECC 600 / SR2 Fl Language ECC 600 / SR2 Fl	SAFF SAFF SAFKLFRN10 SAFKLFRN10 SAFKLFRN10 SAFKLFRN10 SAFKLFRN10 SAFKLFRN10 SAFKLFRN10	FR 22.09 /1] /2] /3] /4] /5] /6]	1.2006	08.07.2	:011 19::	Þ 24:24 St	STMS 🔻 🕇	willsysdev INS	•
This is Ve sh Reques Number 1 2 3 4 5 6 7 7 8 9 10	s the lc ould su sts for DEV Request DEVK900001 DEVK90001 DEVK90001 SAPKLFRN1 SAPKLFRN1 SAPKLFRN1 SAPKLFRN1 SAPKLFRN1 SAPKLFRN1 SAPKLFRN1 SAPKLFRN1	Pgs ee all a t: 2 / 13 0wmer 8 SAPUSE 2 SAPUSE 2 SAPUSE 2 SAPUSE 2 SAPUSE 3 D02236 3 D02236 3 D02236 5 D02236 5 D02236 5 D02236 7 D02236	re in (	Short Text Short Text Composite role_composite role_new Language ECC 600 / SR2 FI	SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10 SAPKLFRN10	FR 22.09 /1] /2] /4] /5] /6] /7]	1.2006	08.07.2	:011 19::	>           24:24           St           >           >           >           >           >	STMS V V	willsysdev INS	
This is Ve sh Number 1 2 3 4 5 6 7 8 9 10 11 12 12 12	s the lo ould so sts for DEV Request DEVK90000 DEVK90001 DEVK90001 DEVK90001 SAPKLFRMI SAPKLFRMI SAPKLFRMI SAPKLFRMI SAPKLFRMI SAPKLFRMI SAPKLFRMI	Pgs ee all a t: 2 / 13 0wner 8 SAPUSE 0 D02236 2 D02236 2 D02236 5 D02236 5 D02236 5 D02236 5 D02236 8 D02236 8 D02236 8 D02236	re in (	Short Text Short Text newsinglerole composite role_composite role_composite role_composite role_composite cole_composite cole SR2 Fi Language ECC 600 / SR2 Fi	CAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO SAPPLERNIO	FR 22.09 /1] /2] /3] /5] /6] /7] /8]	1.2006	09.07.2	011 19::	D 24:24 St St	STMS ¥ V	willsysdev INS	

Login with the Client and check whether the language has been changed or not



#### **Confidential Document**



Language French is Successfully Imported to the SAP system

Related Content:

www.help.sap.com

www.sdn.sap.com/irj/sdn/index.

## **Disclaimer and Liability Notice**:

WILLSYS will not be held liable for any damages caused by using or misusing the information, code or methods suggested in this document, and anyone using these methods does so at his/her own risk.

WILLSYS offers no guarantees and assumes no responsibility or liability of any type with respect to the content of this technical article or code sample, including any liability resulting from incompatibility between the content within this document and the materials and services offered by WILLSYS. You agree that you will not hold, or seek to hold, WILLSYS responsible or liable with respect to the content of this document.