

Confidential Document

APPLIES TO:

THREE SYSTEM LANDSCAPE CONFIGURATION

SUMMARY:

This article explains how to perform the THREE SYSTEM LANDSCAPE CONFIGURATION.

AUTHOR:

K.VENKATA RAMU.

COMPANY:

WILLSYS INFOSYSTEMS Pvt. Ltd.,

CREATED ON:

20th Apr 2015.






Confidential Document

THREE SYSTEM LANDSCAPE IN SAP


DEV

➤ Log-on to the SAP system using 000 client, like DDIC user




Run T-CODE STMS








- ➤ Click the 'Save Button' in the dialog box that appears
- ➤ 1st system will become domain controller and transport domain will be created










Confidential Document

QAS

➤ Log-on to the SAP system using 000 client, like DDIC user



> Run T-CODE STMS






Confidential Document

Transport Domain and Domain Controller Information will be displayed in the dialog box that opens


Click the 'Save Button' in the above dialog box





Confidential Document

The message 'SAP System is waiting to be included in transport domain' will be displayed under the TMS graphic. We have to approve this system in Domain Controller



PRD

➤ Log-on to the SAP system using 000 client, like DDIC user

New password	
Client	000
User	sapuser
Password	*****
Language	

P a g e 8 of 44






Confidential Document

Run T-CODE STMS


- > Transport Domain and Domain Controller Information will be displayed in the dialog box that opens
- > Click the 'Save Button' in the above dialog box






Confidential Document

The message 'SAP System is waiting to be included in transport domain' will be displayed under the TMS graphic. We have to approve this system in Domain Controller






- > NOW GO TO DOMAIN CONTROLLER DEV
- ➤ Click 'SYSTEMS'





Confidential Document


➤ All the three systems will be displayed





Confidential Document


> Select 'SAP System' and click Approve






Confidential Document

➤ Click YES in the 'Include system QAS in transport domain?' dialog box








Confidential Document

> Select 'PRD System' and click Approve






Confidential Document

(Or)


➤ APPROVE GO TO SAPSYSTEM → APPROVE







Confidential Document

➤ Click YES in the 'Include system PRD in transport domain?' dialog box













Confidential Document

➤ Click TRANSPORT ROUTES






- ➤ Go to CONFIGURATION → DISPLAY<-> CHANGEGE
 Then
- ➤ Go to CONFIGURATION→ STANDARD CONFIGURATION → THREE SYSTEMS IN GROUP





Confidential Document


> Specify your Development, Quality and Production System SID





Confidential Document

➤ Go to COFIGURATION → DISTRIBUTE and ACTIVATE







Confidential Document


Create a Change Request

> Execute SPRO T-Code and create a change request












Confidential Document

➤ Click SAVE Icon






Confidential Document


Click Create Icon



Click SAVE



➤ Change Request Number Created. Then click CONTINUE




Page 27 of 44



Confidential Document


RELEASE THE TRANSPORT REQUEST:

> Execute SE01 T-Code





- ➤ Select Request Type (Customizing Requests or Workbench Requests)
- ➤ Click DISPLAY







Confidential Document

➤ Select change Request Number and Release the request












Confidential Document

QAS:


- ➤ Importing Transport request into the target system (QAS)
- > Execute STMS T-code





Confidential Document

➤ Click **Import Button**




Click QAS







Confidential Document

Click Adjust Queue





> Select Transport request number. Then click truck icon




P a g e 34 of 44




Confidential Document

- Specify Client
- > Select Immediate
- Click Continue




Click YES






Confidential Document


➤ Go to Check





P a g e 36 of 44








Confidential Document

PRD:


- > Importing Transport request into the target system (PRD)
- > Execute STMS T-code





Confidential Document


> Click Import Button





Confidential Document


Click Adjust Queue






Confidential Document

➤ Select Transport request number. Then click truck icon






- Specify Client
- ➤ Select Immediate
- Click Continue







Confidential Document

Click YES







P a g e 43 of 44



Confidential Document

Related Content:

http://service.sap.com http://support.sap.com www.help.sap.com www.sdn.sap.com/iri/sdn/index.

Disclaimer and Liability Notice:

WILLSYS will not be held liable for any damages caused by using or misusing the information, code or methods suggested in this document, and anyone using these methods does so at his/her own risk.

WILLSYS offers no guarantees and assumes no responsibility or liability of any type with respect to the content of this technical article or code sample, including any liability resulting from incompatibility between the content within this document and the materials and services offered by WILLSYS. You agree that you will not hold, or seek to hold, WILLSYS responsible or liable with respect to the content of this document.