

APPLIES TO:

RESTORE WITH DIFFERENT SYSTEM BACKUP

SUMMARY :

This article explains how to do the Restore with different system backup.

AUTHOR:

K.VENKATA RAMU.

COMPANY:

WILLSYS INFOSYSTEMS Pvt. Ltd.,

CREATED ON:

9th Feb 2015.




RESTORE WITH DIFFERENT SYSTEM BACKUP

procedure for to create Controlfile in source system

-->login with ora<SID> user

-->connect to sql prompt using command "sqlplus / as sysdba"



```
Applications Places System 1:25 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
[root@willsys90 ~]# cd /oracle/W90/sapbackup/
[root@willsys90 sapbackup]# ll
total 158760
-rw-r--r-- 1 oraw90 dba      422 Jan 18 13:18 backW90.log
drwxr-xr-x 2 oraw90 dba     4096 Jan 10 10:37 bepphbtb
-rw-r--r-- 1 oraw90 dba    34224 Jan 10 10:37 bepphbtb.and
drwxr-xr-x 2 oraw90 dba     4096 Jan 18 13:17 bepquxpz
-rw-r--r-- 1 oraw90 dba    34172 Jan 18 13:18 bepquxpz.and
-rw-r----- 1 oraw90 dba     9823 Jan 11 13:29 CONTROL.SQL
drwxr-xr-x 2 oraw90 dba     4096 Jan 18 13:18 W90
-rw-r----- 1 oraw90 dba 36643328 Jan  9 16:37 W90arch1_909_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan  9 17:43 W90arch1_910_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan  9 23:30 W90arch1_911_864132502.dbf
-rw-r----- 1 oraw90 dba 24949248 Jan 10 10:37 W90arch1_912_864132502.dbf
[root@willsys90 sapbackup]# su oraw90
willsys90:oraw90 32> sqlplus / as sysdba


SQL*Plus: Release 10.2.0.2.0 - Production on Sun Jan 18 13:25:44 2015

Copyright (c) 1982, 2005, Oracle.  All Rights Reserved.

Connected to:
Oracle Database 10g Enterprise Edition Release 10.2.0.2.0 - Production
With the Partitioning and Data Mining options

SQL>
```

-->execute SQL>alter database using backup controlfile to trace;



```
Applications Places System 1:26 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
[root@willsys90 ~]# cd /oracle/W90/sapbackup/
[root@willsys90 sapbackup]# ll
total 158760
-rw-r--r-- 1 oraw90 dba      422 Jan 18 13:18 backW90.log
drwxr-xr-x 2 oraw90 dba    4096 Jan 10 10:37 bepphbtb
-rw-r--r-- 1 oraw90 dba   34224 Jan 10 10:37 bepphbtb.and
drwxr-xr-x 2 oraw90 dba    4096 Jan 18 13:17 bepquxpz
-rw-r--r-- 1 oraw90 dba   34172 Jan 18 13:18 bepquxpz.and
-rw-r----- 1 oraw90 dba    9823 Jan 11 13:29 CONTROL.SQL
drwxr-xr-x 2 oraw90 dba    4096 Jan 18 13:18 W90
-rw-r----- 1 oraw90 dba 36643328 Jan  9 16:37 W90arch1_909_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan  9 17:43 W90arch1_910_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan  9 23:30 W90arch1_911_864132502.dbf
-rw-r----- 1 oraw90 dba 24949248 Jan 10 10:37 W90arch1_912_864132502.dbf
[root@willsys90 sapbackup]# su oraw90
willsys90:oraw90 32> sqlplus / as sysdba


SQL*Plus: Release 10.2.0.2.0 - Production on Sun Jan 18 13:25:44 2015

Copyright (c) 1982, 2005, Oracle.  All Rights Reserved.

Connected to:
Oracle Database 10g Enterprise Edition Release 10.2.0.2.0 - Production
With the Partitioning and Data Mining options

SQL> alter database backup controlfile to trace;
```

Database altered.



```
Applications Places System 1:27 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
total 158760
-rw-r--r-- 1 oraw90 dba      422 Jan 18 13:18 backW90.log
drwxr-xr-x 2 oraw90 dba     4096 Jan 10 10:37 bepphbtb
-rw-r--r-- 1 oraw90 dba    34224 Jan 10 10:37 bepphbtb.and
drwxr-xr-x 2 oraw90 dba     4096 Jan 18 13:17 bepquxpz
-rw-r--r-- 1 oraw90 dba    34172 Jan 18 13:18 bepquxpz.and
-rw-r----- 1 oraw90 dba     9823 Jan 11 13:29 CONTROL.SQL
drwxr-xr-x 2 oraw90 dba     4096 Jan 18 13:18 W90
-rw-r----- 1 oraw90 dba 36643328 Jan  9 16:37 W90arch1_909_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan  9 17:43 W90arch1_910_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan  9 23:30 W90arch1_911_864132502.dbf
-rw-r----- 1 oraw90 dba 24949248 Jan 10 10:37 W90arch1_912_864132502.dbf
[root@willsys90 sapbackup]# su oraw90
willsys90:oraw90 32> sqlplus / as sysdba

SQL*Plus: Release 10.2.0.2.0 - Production on Sun Jan 18 13:25:44 2015


Copyright (c) 1982, 2005, Oracle.  All Rights Reserved.

Connected to:
Oracle Database 10g Enterprise Edition Release 10.2.0.2.0 - Production
With the Partitioning and Data Mining options

SQL> alter database backup controlfile to trace;

Database altered.

SQL> 
```



```
Applications Places System 1:27 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
-rw-r--r-- 1 oraw90 dba 34172 Jan 18 13:18 bepquxpz.and
-rw-r----- 1 oraw90 dba 9823 Jan 11 13:29 CONTROL.SQL
drwxr-xr-x 2 oraw90 dba 4096 Jan 18 13:18 W90
-rw-r----- 1 oraw90 dba 36643328 Jan 9 16:37 W90arch1_909_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan 9 17:43 W90arch1_910_864132502.dbf
-rw-r----- 1 oraw90 dba 50319872 Jan 9 23:30 W90arch1_911_864132502.dbf
-rw-r----- 1 oraw90 dba 24949248 Jan 10 10:37 W90arch1_912_864132502.dbf
[root@willsys90 sapbackup]# su oraw90
willsys90:oraw90 32> sqlplus / as sysdba

SQL*Plus: Release 10.2.0.2.0 - Production on Sun Jan 18 13:25:44 2015

Copyright (c) 1982, 2005, Oracle. All Rights Reserved.

Connected to:
Oracle Database 10g Enterprise Edition Release 10.2.0.2.0 - Production
With the Partitioning and Data Mining options

SQL> alter database backup controlfile to trace;

Database altered.


SQL> date
SP2-0042: unknown command "date" - rest of line ignored.
SQL> !date
Sun Jan 18 13:27:25 IST 2015

SQL> 
```

The controlfile falls in trace folder → **/oracle/<SID>/saptrace/usertrace**

Execute “!date” in SQL to identify the trace file.

SQL>!date




```
Applications Places System 1:28 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
Connected to:
Oracle Database 10g Enterprise Edition Release 10.2.0.2.0 - Production
With the Partitioning and Data Mining options

SQL> alter database backup controlfile to trace;

Database altered.

SQL> date
SP2-0042: unknown command "date" - rest of line ignored.
SQL> !date
Sun Jan 18 13:27:25 IST 2015


SQL> exit
Disconnected from Oracle Database 10g Enterprise Edition Release 10.2.0.2.0 - Production
With the Partitioning and Data Mining options
willsys90:oraw90 33> cd /oracle/W90/saptrace/usertrace/
willsys90:oraw90 34> ll
total 1108
-rw-r----- 1 oraw90 dba    2120 Dec 23 12:57 w90_ora_10461.trc
-rw-r----- 1 oraw90 dba     584 Dec 23 12:58 w90_ora_10747.trc
-rw-r----- 1 oraw90 dba     641 Dec 23 12:58 w90_ora_10818.trc
-rw-r----- 1 oraw90 dba 435538 Nov 20 18:17 w90_ora_11521.trc
-rw-r----- 1 oraw90 dba   3209 Jan  9 09:09 w90_ora_14239.trc
-rw-r----- 1 oraw90 dba     584 Jan  9 09:09 w90_ora_15383.trc
-rw-r----- 1 oraw90 dba     871 Jan  9 09:10 w90_ora_15410.trc
-rw-r----- 1 oraw90 dba     584 Jan  9 09:11 w90_ora_15459.trc
-rw-r----- 1 oraw90 dba   9923 Jan  9 09:14 w90_ora_15482.trc
-rw-r----- 1 oraw90 dba     612 Dec 19 15:27 w90_ora_21227.trc
```




The image shows a terminal window titled 'root@willsys90:/oracle/W90/sapbackup'. The window displays a list of files with their permissions, owner, group, size, date, time, and filename. The file 'w90_ora_27797.trc' is highlighted in black. The terminal window is part of a desktop environment with a taskbar at the bottom showing 'File Manager (5)', '[W90 (1) (000)]', '[W90 (1) (001)]', and 'root@willsys90:/...'. The system tray shows the time as 1:29 PM.

```
File Edit View Terminal Tabs Help
-rw-r----- 1 oraw90 dba      641 Dec 23 12:58 w90_ora_10818.trc
-rw-r----- 1 oraw90 dba 435538 Nov 20 18:17 w90_ora_11521.trc
-rw-r----- 1 oraw90 dba    3209 Jan  9 09:09 w90_ora_14239.trc
-rw-r----- 1 oraw90 dba     584 Jan  9 09:09 w90_ora_15383.trc
-rw-r----- 1 oraw90 dba     871 Jan  9 09:10 w90_ora_15410.trc
-rw-r----- 1 oraw90 dba     584 Jan  9 09:11 w90_ora_15459.trc
-rw-r----- 1 oraw90 dba   9923 Jan  9 09:14 w90_ora_15482.trc
-rw-r----- 1 oraw90 dba     612 Dec 19 15:27 w90_ora_21227.trc
-rw-r----- 1 oraw90 dba     641 Dec 19 15:27 w90_ora_21252.trc
-rw-r----- 1 oraw90 dba   2068 Dec 19 15:27 w90_ora_21253.trc
-rw-r----- 1 oraw90 dba     612 Nov 27 11:57 w90_ora_27540.trc
-rw-r----- 1 oraw90 dba     641 Nov 27 11:57 w90_ora_27565.trc
-rw-r----- 1 oraw90 dba   2062 Nov 27 11:57 w90_ora_27566.trc
-rw-r----- 1 oraw90 dba   9825 Jan 18 13:26 w90_ora_27797.trc
-rw-r----- 1 oraw90 dba     610 Nov 28 11:23 w90_ora_3765.trc
-rw-r----- 1 oraw90 dba     639 Nov 28 11:23 w90_ora_3788.trc
-rw-r----- 1 oraw90 dba   2105 Nov 28 11:23 w90_ora_3789.trc
-rw-r----- 1 oraw90 dba     582 Nov 29 11:54 w90_ora_3805.trc
-rw-r----- 1 oraw90 dba     639 Nov 29 11:54 w90_ora_3828.trc
-rw-r----- 1 oraw90 dba   2060 Nov 29 11:54 w90_ora_3830.trc
-rw-r----- 1 oraw90 dba     610 Dec  2 11:33 w90_ora_4086.trc
-rw-r----- 1 oraw90 dba     639 Dec  2 11:33 w90_ora_4110.trc
-rw-r----- 1 oraw90 dba   2066 Dec  2 11:33 w90_ora_4111.trc
-rw-r----- 1 oraw90 dba     610 Jan 12 08:55 w90_ora_4408.trc
-rw-r----- 1 oraw90 dba     610 Dec 15 12:06 w90_ora_4423.trc
-rw-r----- 1 oraw90 dba     639 Jan 12 08:55 w90_ora_4432.trc
-rw-r----- 1 oraw90 dba   2064 Jan 12 08:55 w90_ora_4433.trc
-rw-r----- 1 oraw90 dba     639 Dec 15 12:06 w90_ora_4446.trc
-rw-r----- 1 oraw90 dba   2086 Dec 15 12:06 w90_ora_4448.trc
```

Copy the latest tracefile from source to sapbackup folder of target system




```
Applications Places System 1:34 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
willsys90:oraw90 38> pwd
/oracle/W90/saptrace/usertrace
willsys90:oraw90 39> scp -pr w90_ora_27797.trc root@192.168.17.38:/oracle/W38/sapbackup
```

```
Applications Places System 1:36 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
willsys90:oraw90 38> pwd
/oracle/W90/saptrace/usertrace
willsys90:oraw90 39> cd ..
willsys90:oraw90 40> cd ..
willsys90:oraw90 41> ll
total 164
drwxr-xr-x 54 oraw90 dba 4096 Nov 20 12:48 102_32
drwxr-xr-x 2 oraw90 dba 4096 Nov 20 12:48 mirrlogA
drwxr-xr-x 2 oraw90 dba 4096 Nov 20 12:48 mirrlogB
drwxr-xr-x 2 oraw90 dba 12288 Jan 18 13:18 oraarch
drwxr-xr-x 3 oraw90 dba 4096 Nov 20 12:48 origlogA
drwxr-xr-x 3 oraw90 dba 4096 Nov 20 12:48 origlogB
drwxr-xr-x 2 oraw90 dba 4096 Nov 20 12:48 saparch
drwxr-xr-x 5 oraw90 dba 4096 Jan 18 13:18 sapbackup
drwxr-xr-x 2 oraw90 dba 4096 Nov 20 18:14 sapcheck
drwxr-xr-x 15 oraw90 dba 4096 Nov 20 12:48 sapdata1
drwxr-xr-x 12 oraw90 dba 4096 Nov 20 12:48 sapdata2
drwxr-xr-x 12 oraw90 dba 4096 Nov 20 12:48 sapdata3
drwxr-xr-x 11 oraw90 dba 4096 Nov 20 12:48 sapdata4
drwxr-xr-x 2 oraw90 dba 4096 Jan 10 09:33 sapreorg
drwxr-xr-x 4 oraw90 dba 4096 Nov 20 12:48 saptrace
-rwxr-xr-x 1 oraw90 dba 15752 Aug 28 2011 startdb
-rwxr-xr-x 1 oraw90 dba 11119 Aug 28 2011 stopdb
willsys90:oraw90 42> 
```

Check the log sequence in 'xxxxx.and' file which is located in sapbackup folder



```
oldest online log sequence 910
Next log sequence to archive 913
Current log sequence 913 SCN: 9039018
Database block size 8192 Thread: 1
Current system change number 9039020 ResetId: 864132502

BR0202I Saving space_log
BR0203I to /oracle/W90/sapbackup/W90 ...


BR0202I Saving /oracle/W90/sapbackup/bepphbtb.and
BR0203I to /oracle/W90/sapbackup/W90 ...

BR0202I Saving /oracle/W90/sapbackup/backW90.log
BR0203I to /oracle/W90/sapbackup/W90 ...

BR0115I Compression rate for all files 8.1489:1

BR0056I End of database backup: bepphbtb.and 2015-01-10 10.37.46
BR0280I BRBACKUP time stamp: 2015-01-10 10.37.47
BR0052I BRBACKUP completed successfully
```

Copy the sequence in to target oraarch folder




```
Applications Places System 1:41 PM
root@willsys90:/oracle/W90/sapbackup
File Edit View Terminal Tabs Help
willsys90:oraw90 51> pwd
/oracle/W90/oraarch
willsys90:oraw90 52> scp -pr W90arch1_910_864132502.dbf W90arch1_911_864132502.dbf W90arch1_912_864132502.dbf W90arch1_913_864132502.dbf root@192.168.17.38:/oracle/W38/oraarch
```

In target system:

Go to /oracle/SID/sapbackup folder

Rename the trace file(w90_ora_27797.trc) as CONTROL.SQL




Go to sapbackup folder

```
Cd /oracle/SID/sapbackup/  
ll
```

Give the permissions and ownerships


```
Chmod -R 775 *
```

```
Chown -R orasid:dba *
```



```
Applications Places System 12:23 PM  
root@willsys38:/oracle/W38/sapbackup  
File Edit View Terminal Tabs Help  
[root@willsys38 Desktop]# cd /oracle/W38/sapbackup/  
[root@willsys38 sapbackup]# ll  
total 158712  
-rwxr-xr-x 1 root root 211 Jan 10 2015 backW90.log  
drwxr-xr-x 2 root root 4096 Jan 10 2015 bepphbtb  
-rwxr-xr-x 1 root root 34224 Jan 10 2015 bepphbtb.and  
-rwxr-xr-x 1 root root 9823 Jan 11 2015 CONTROL.SQL  
drwxr-xr-x 2 root root 4096 Jan 10 2015 W90  
-rwxr-xr-x 1 root root 36643328 Jan 9 2015 W90arch1_909_864132502.dbf  
-rwxr-xr-x 1 root root 50319872 Jan 9 2015 W90arch1_910_864132502.dbf  
-rwxr-xr-x 1 root root 50319872 Jan 9 2015 W90arch1_911_864132502.dbf  
-rwxr-xr-x 1 root root 24949248 Jan 10 2015 W90arch1_912_864132502.dbf  
[root@willsys38 sapbackup]# chmod -R 775 *  
[root@willsys38 sapbackup]# chown -R oraw38:dba *  
[root@willsys38 sapbackup]#
```

Execute 'll'




```
Applications Places System 12:23 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
[root@willsys38 Desktop]# cd /oracle/W38/sapbackup/
[root@willsys38 sapbackup]# ll
total 158712
-rwxr-xr-x 1 root root      211 Jan 10  2015 backW90.log
drwxr-xr-x 2 root root     4096 Jan 10  2015 bepphbtb
-rwxr-xr-x 1 root root    34224 Jan 10  2015 bepphbtb.and
-rwxr-xr-x 1 root root     9823 Jan 11  2015 CONTROL.SQL
drwxr-xr-x 2 root root     4096 Jan 10  2015 W90
-rwxr-xr-x 1 root root 36643328 Jan  9  2015 W90arch1_909_864132502.dbf
-rwxr-xr-x 1 root root 50319872 Jan  9  2015 W90arch1_910_864132502.dbf
-rwxr-xr-x 1 root root 50319872 Jan  9  2015 W90arch1_911_864132502.dbf
-rwxr-xr-x 1 root root 24949248 Jan 10  2015 W90arch1_912_864132502.dbf
[root@willsys38 sapbackup]# chmod -R 775 *
[root@willsys38 sapbackup]# chown -R oraw38:dba *
[root@willsys38 sapbackup]# ll
total 158712
-rwxrwxr-x 1 oraw38 dba      211 Jan 10  2015 backW90.log
drwxrwxr-x 2 oraw38 dba     4096 Jan 10  2015 bepphbtb
-rwxrwxr-x 1 oraw38 dba    34224 Jan 10  2015 bepphbtb.and
-rwxrwxr-x 1 oraw38 dba     9823 Jan 11  2015 CONTROL.SQL
drwxrwxr-x 2 oraw38 dba     4096 Jan 10  2015 W90
-rwxrwxr-x 1 oraw38 dba 36643328 Jan  9  2015 W90arch1_909_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 50319872 Jan  9  2015 W90arch1_910_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 50319872 Jan  9  2015 W90arch1_911_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 24949248 Jan 10  2015 W90arch1_912_864132502.dbf
[root@willsys38 sapbackup]#
```


Go to action id folder(bepphbtb)

Cd bepphbtb


ll



```
Applications Places System 12:26 PM
root@willsys38:/oracle/W38/sapbackup/bepphbtb
File Edit View Terminal Tabs Help
[root@willsys38 sapbackup]# chmod -R 775 *
[root@willsys38 sapbackup]# chown -R oraw38:dba *
[root@willsys38 sapbackup]# ll
total 158712
-rwxrwxr-x 1 oraw38 dba      211 Jan 10  2015 backw90.log
drwxrwxr-x 2 oraw38 dba    4096 Jan 10  2015 bepphbtb
-rwxrwxr-x 1 oraw38 dba   34224 Jan 10  2015 bepphbtb.and
-rwxrwxr-x 1 oraw38 dba    9823 Jan 11  2015 CONTROL.SQL
drwxrwxr-x 2 oraw38 dba    4096 Jan 10  2015 W90
-rwxrwxr-x 1 oraw38 dba 36643328 Jan  9  2015 W90arch1_909_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 50319872 Jan  9  2015 W90arch1_910_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 50319872 Jan  9  2015 W90arch1_911_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 24949248 Jan 10  2015 W90arch1_912_864132502.dbf
[root@willsys38 sapbackup]# cd bepphbtb
[root@willsys38 bepphbtb]# ll
total 10525164
-rwxrwxr-x 1 oraw38 dba      42791 Jan 10  2015 cntrlW90.dbf.Z
-rwxrwxr-x 1 oraw38 dba  411844291 Jan 10  2015 sr3700.data10.Z
-rwxrwxr-x 1 oraw38 dba  460384167 Jan 10  2015 sr3700.data11.Z
-rwxrwxr-x 1 oraw38 dba  448693837 Jan 10  2015 sr3700.data12.Z
-rwxrwxr-x 1 oraw38 dba  410140360 Jan 10  2015 sr3700.data13.Z
-rwxrwxr-x 1 oraw38 dba  454376460 Jan 10  2015 sr3700.data14.Z
-rwxrwxr-x 1 oraw38 dba  445233128 Jan 10  2015 sr3700.data15.Z
-rwxrwxr-x 1 oraw38 dba  435220385 Jan 10  2015 sr3700.data16.Z
-rwxrwxr-x 1 oraw38 dba  463325114 Jan 10  2015 sr3700.data1.Z
-rwxrwxr-x 1 oraw38 dba  465863329 Jan 10  2015 sr3700.data2.Z
-rwxrwxr-x 1 oraw38 dba  437882517 Jan 10  2015 sr3700.data3.Z
-rwxrwxr-x 1 oraw38 dba  392099655 Jan 10  2015 sr3700.data4.Z
-rwxrwxr-x 1 oraw38 dba  390695884 Jan 10  2015 sr3700.data5.Z
```

Rename source system file (cntrlW90.dbf.Z) as target system file (cntrlW38.dbf.Z)


“mv cntrlW90.dbf.z cntrlW38.dbf.z”



```
Applications Places System 12:30 PM
root@willsys38:/oracle/W38/sapbackup/bepphbtb
File Edit View Terminal Tabs Help
-rwxrwxr-x 1 oraw38 dba 83198559 Jan 10 2015 sr3.data9.Z
-rwxrwxr-x 1 oraw38 dba 68425 Jan 10 2015 sr3usr.data1.Z
-rwxrwxr-x 1 oraw38 dba 28214973 Jan 10 2015 sysaux.data1.Z
-rwxrwxr-x 1 oraw38 dba 157065053 Jan 10 2015 system.data1.Z
-rwxrwxr-x 1 oraw38 dba 1059039740 Jan 10 2015 undo.data1.Z
[root@willsys38 bepphbtb]# mv cntrlW90.dbf.Z
mv: missing destination file operand after `cntrlW90.dbf.Z'
Try `mv --help' for more information.
[root@willsys38 bepphbtb]# mv cntrlW90.dbf.Z
mv: missing destination file operand after `cntrlW90.dbf.Z'
Try `mv --help' for more information.
[root@willsys38 bepphbtb]# clear

[root@willsys38 bepphbtb]# mv cntrlW90.dbf.Z cntrlW38.dbf.Z
[root@willsys38 bepphbtb]# ll
total 10525164
-rwxrwxr-x 1 oraw38 dba 42791 Jan 10 2015 cntrlW38.dbf.Z
-rwxrwxr-x 1 oraw38 dba 411844291 Jan 10 2015 sr3700.data10.Z
-rwxrwxr-x 1 oraw38 dba 460384167 Jan 10 2015 sr3700.data11.Z
-rwxrwxr-x 1 oraw38 dba 448693837 Jan 10 2015 sr3700.data12.Z
-rwxrwxr-x 1 oraw38 dba 410140360 Jan 10 2015 sr3700.data13.Z
-rwxrwxr-x 1 oraw38 dba 454376460 Jan 10 2015 sr3700.data14.Z
-rwxrwxr-x 1 oraw38 dba 445233128 Jan 10 2015 sr3700.data15.Z
-rwxrwxr-x 1 oraw38 dba 435220385 Jan 10 2015 sr3700.data16.Z
-rwxrwxr-x 1 oraw38 dba 463325114 Jan 10 2015 sr3700.data1.Z
-rwxrwxr-x 1 oraw38 dba 465863329 Jan 10 2015 sr3700.data2.Z
-rwxrwxr-x 1 oraw38 dba 437882517 Jan 10 2015 sr3700.data3.Z
-rwxrwxr-x 1 oraw38 dba 392099655 Jan 10 2015 sr3700.data4.Z
-rwxrwxr-x 1 oraw38 dba 390695884 Jan 10 2015 sr3700.data5.Z
```

Go to sapbackup folder → **cd /oracle/SID/sapbackup**
Edit **.and** file
root@willsys38 sapbackup]# vi bepphbtb.and



```
Applications Places System 12:31 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
[root@willsys38 bepphbtb]# cd ..
[root@willsys38 sapbackup]# vi bepphbtb.and
```

```

Applications Places System 12:31 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
BR0051I BRBACKUP 7.00 (24)
BR0055I Start of database backup: bepphbtb.and 2015-01-10 09.33.07
BR0484I BRBACKUP log file: /oracle/W90/sapbackup/bepphbtb.and
BR0477I Oracle pfile /oracle/W90/102_32/dbs/initW90.ora created from spfile /oracle/W90/102_32/dbs/spfileW90.ora

BR0280I BRBACKUP time stamp: 2015-01-10 09.33.16
BR0319I Control file copy created: /oracle/W90/sapbackup/cntrlW90.dbf 12664832

BR0101I Parameters


Name                               Value
oracle_sid                          W90
oracle_home                          /oracle/W90/102_32
oracle_profile                       /oracle/W90/102_32/dbs/initW90.ora
sapdata_home                         /oracle/W90
sap_profile                           /oracle/W90/102_32/dbs/initW90.sap
backup_mode                          ALL
backup_type                          online
backup_dev_type                      disk
backup_root_dir                     /oracle/W90/sapbackup
compress                             yes
compress_cmd                         gzip -c $ > $
exec_parallel                        0
system_info                          oraw90/oraw90 willsys90 Linux 2.6.18-164.el5 #1 SMP Tue Aug 18 15:
51:54 EDT 2009 i686
oracle_info                          W90 10.2.0.2.0 8192 912 9017691 willsys90 UTF8 UTF8
"bepphbtb.and" 659L, 34224C

```

Replace old system SID(W90) with target system SID(W38)

By using the command

ESC+shift :%S/W90/W38/g



```

BR0051I BRBACKUP 7.00 (24)
BR0055I Start of database backup: bepphbtb.and 2015-01-10 09.33.07
BR0484I BRBACKUP log file: /oracle/W90/sapbackup/bepphbtb.and
BR0477I Oracle pfile /oracle/W90/102_32/dbs/initW90.ora created from spfile /oracle/W90/102_32/dbs/spfileW90.ora

BR0280I BRBACKUP time stamp: 2015-01-10 09.33.16
BR0319I Control file copy created: /oracle/W90/sapbackup/cntrlW90.dbf 12664832


BR0101I Parameters

Name                                Value
-----                                -
oracle_sid                           W90
oracle_home                           /oracle/W90/102_32
oracle_profile                         /oracle/W90/102_32/dbs/initW90.ora
sapdata_home                           /oracle/W90
sap_profile                             /oracle/W90/102_32/dbs/initW90.sap
backup_mode                             ALL
backup_type                             online
backup_dev_type                         disk
backup_root_dir                         /oracle/W90/sapbackup
compress                                yes
compress_cmd                            gzip -c $ $ > $
exec_parallel                            0
system_info                             oraw90/oraw90 willsys90 Linux 2.6.18-164.el5 #1 SMP Tue Aug 18 15:
51:54 EDT 2009 i686
oracle_info                             W90 10.2.0.2.0 8192 912 9017691 willsys90 UTF8 UTF8
:~s/W90/W38/g
  
```

Replace old system hostname(willsys90) with target system hostname(willsys38)

By using the command

ESC+shift :%S/willsys90/willsys38/g'



```
Applications Places System 12:33 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
BR0117I ARCHIVE LOG LIST after backup for database instance W38

Parameter                                Value

Database log mode                        Archive Mode
Automatic archival                       Enabled
Archive destination                      /oracle/W38/oraarch/W38arch
Archive format                            %t_%s_%r.dbf
Oldest online log sequence              910
Next log sequence to archive            913
Current log sequence                    913          SCN: 9039018
Database block size                    8192          Thread: 1
Current system change number            9039020       ResetId: 864132502

BR0202I Saving space_log
BR0203I to /oracle/W38/sapbackup/W38 ...

BR0202I Saving /oracle/W38/sapbackup/bepphbtb.and
BR0203I to /oracle/W38/sapbackup/W38 ...

BR0202I Saving /oracle/W38/sapbackup/backW38.log
BR0203I to /oracle/W38/sapbackup/W38 ...

BR0115I Compression rate for all files 8.1489:1

BR0056I End of database backup: bepphbtb.and 2015-01-10 10.37.46
BR0280I BRBACKUP time stamp: 2015-01-10 10.37.47
BR0052I BRBACKUP completed successfully
:%s/willsys90/willsys38/g
```

Save the file by using “:wq!”


```


Applications Places System 12:35 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
oracle_home /oracle/W38/102_32
oracle_profile /oracle/W38/102_32/dbs/initW38.ora
sapdata_home /oracle/W38
sap_profile /oracle/W38/102_32/dbs/initW38.sap
backup_mode ALL
backup_type online
backup_dev_type disk
backup_root_dir /oracle/W38/sapbackup
compress yes
compress_cmd gzip -c $ > $
exec_parallel 0
system_info oraw90/oraw90 willsys38 Linux 2.6.18-164.el5 #1 SMP Tue Aug 18 15:
51:54 EDT 2009 i686
oracle_info W38 10.2.0.2.0 8192 912 9017691 willsys38 UTF8 UTF8
sap_info 700 SAPSR3 W38 N0589467060 R3_BASIS 1234567890
make_info linuxintel OCI_102 Apr 21 2007
command_line /usr/sap/W38/SYS/exe/run/brbackup -p initW38.sap -d disk -t online
-m all -k yes -e 0 -l E -U

BR0116I ARCHIVE LOG LIST before backup for database instance W38


Parameter Value
Database log mode Archive Mode
Automatic archival Enabled
Archive destination /oracle/W38/oraarch/W38arch
Archive format %t_%s_%r.dbf
Oldest online log sequence 909
:wq!

```

Go to the dbs folder → `cd /oracle/SID/102_32/dbs`




```
Applications Places System 12:36 PM
root@willsys38:/oracle/W38/102_32/dbs
File Edit View Terminal Tabs Help
[root@willsys38 bepphbtb]# cd ..
[root@willsys38 sapbackup]# vi bepphbtb.and
[root@willsys38 sapbackup]# cd /oracle/W38/102_32/dbs
[root@willsys38 dbs]#
```




```
Applications Places System 12:37 PM
root@willsys38:/oracle/W38/102_32/dbs
File Edit View Terminal Tabs Help
[root@willsys38 bepphbtb]# cd ..
[root@willsys38 sabbbackup]# vi bepphbtb.and
[root@willsys38 sabbbackup]# cd /oracle/W38/102_32/dbs
[root@willsys38 dbs]# ll
total 188
-rw-rw---- 1 oraw38 dba      1544 Nov 19  2014 hc_W38.dat
-rw-r----- 1 oraw38 dba    12920 May  3  2001 initdw.ora
-rw-r----- 1 oraw38 dba     8385 Sep 11  1998 init.ora
-rw-r----- 1 root  sapinst  3829 Nov 19  2014 initW38.1.ora
-rw-r-x--- 1 root  sapinst  4290 Nov 19  2014 initW38.2.ora
-rw-r-xr-x 1 oraw38 dba    20102 Aug 28  2011 initW38.dba
-rw-r-xr-x 1 oraw38 dba     1716 Jan  4  2015 initW38.ora
-rw-r-x--- 1 root  sapinst  4430 Nov 19  2014 initW38.ora.SAPINST-ORIG
-rw-r-xr-x 1 oraw38 dba    20675 Jan  2  2015 initW38.sap
-rw-r--r-- 1 oraw38 dba    20674 Nov 19  2014 initW38.sap~
-rw-rw---- 1 oraw38 dba        24 Nov 19  2014 lkW38
-rw-r----- 1 oraw38 dba     2048 Nov 19  2014 orapwW38
-rw-r----- 1 oraw38 dba     3584 Nov 19  2014 spfileW38.ora
[root@willsys38 dbs]#
```

Edit **initSID.sap** file


```
root@willsys38 dbs]#Vi initSID.sap
```






```
root@willsys38:/oracle/W38/102_32/dbs
File Edit View Terminal Tabs Help
@(#) $Id: //bas/700_REL/src/ccm/rsbr/initLIN.sap#9 $ SAP
#####
#
# SAP BR*Tools sample profile.
# The parameter syntax is the same as for init.ora parameters.
# Enclose parameter values which consist of more than one symbol in
# double quotes.
# After any symbol, parameter definition can be continued on the next
# line.
# A parameter value list should be enclosed in parentheses, the list
# items should be delimited by commas.
# There can be any number of white spaces (blanks, tabs and new lines)
# between symbols in parameter definition.
# Comment lines must start with a hash character.
#
#####
# backup mode [all | all_data | full | incr | sap_dir | ora_dir
# | all_dir | <tablespace_name> | <file_id> | <file_id1>-<file_id2>
# | <generic_path> | (<object_list>)]
# default: all
backup_mode = all
# restore mode [all | all_data | full | incr | incr_only | incr_full
# | incr_all | <tablespace_name> | <file_id> | <file_id1>-<file_id2>
"initW38.sap" 531L, 20675C
```

Check “backup_mode (all), device type (disk), backup type (online), compress mode (yes)”




```
#####
# backup mode [all | all_data | full | incr | sap_dir | ora_dir
# | all_dir | <tablespace_name> | <file_id> | <file_id1>-<file_id2>
# | <generic_path> | (<object_list>)]
# default: all
backup_mode = all
# restore mode [all | all_data | full | incr | incr_only | incr_full
# | incr_all | <tablespace_name> | <file_id> | <file_id1>-<file_id2>
# | <generic_path> | (<object_list>) | partial | non_db
# redirection with '=' is not supported here - use option '-m' instead
# default: all
restore_mode = all
# backup type [offline | offline_force | offline_standby | offline_split
# | offline_mirror | offline_stop | online | online_cons | online_split
# | online_mirror | online_standby | offstby_split | offstby_mirror
# default: offline
backup_type = offline
# backup device type
# [tape | tape_auto | tape_box | pipe | pipe_auto | pipe_box | disk
# | disk_copy | disk_standby | stage | stage_copy | stage_standby
# | util_file | util_file_online | rman_util | rman_disk | rman_stage
# | rman_prep]
# default: tape
backup_dev_type = disk
# backup root directory [<path_name> | (<path_name_list>)]
# default: $SAPDATA_HOME/sapbackup
backup_root_dir = /oracle/W38/sapbackup
stage root directory [<path_name> | (<path_name_list>)]
```


```
Applications Places System 12:41 PM
root@willsys38:/oracle/W38/102_32/dbs
File Edit View Terminal Tabs Help
# redirection with '=' is not supported here - use option '-m' instead
# default: all
restore_mode = all
# backup type [offline | offline_force | offline_standby | offline_split
# | offline_mirror | offline_stop | online | online_cons | online_split
# | online_mirror | online_standby | offstby_split | offstby_mirror
# default: offline
backup_type = online
# backup device type
# [tape | tape_auto | tape_box | pipe | pipe_auto | pipe_box | disk
# | disk_copy | disk_standby | stage | stage_copy | stage_standby
# | util_file | util_file_online | rman_util | rman_disk | rman_stage
# | rman_prep]
# default: tape
backup_dev_type = disk
# backup root directory [<path_name> | (<path_name_list>)]
# default: $SAPDATA_HOME/sapbackup
backup_root_dir = /oracle/W38/sapbackup
# stage root directory [<path_name> | (<path_name_list>)]
# default: value of the backup_root_dir parameter
stage_root_dir = /oracle/W38/sapbackup
# compression flag [no | yes | hardware | only]
# default: no
compress = yes
# compress command
# first $-character is replaced by the source file name
# second $-character is replaced by the target file name
# <target_file_name> = <source_file_name>.Z
:wq!
```

And then save “:wq!”




```
Applications Places System 12:42 PM
root@willsys38:/oracle/W38/sapdata1
File Edit View Terminal Tabs Help
[root@willsys38 ~]# pwd
/root
[root@willsys38 ~]# cd /oracle/W38/102_32/dbs
[root@willsys38 dbs]# ll
total 188
-rw-rw---- 1 oraw38 dba      1544 Nov 19  2014 hc_W38.dat
-rw-r----- 1 oraw38 dba    12920 May  3  2001 initdw.ora
-rw-r----- 1 oraw38 dba     8385 Sep 11  1998 init.ora
-rw-r----- 1 root  sapinst  3829 Nov 19  2014 initW38.1.ora
-rw-r-x--- 1 root  sapinst  4290 Nov 19  2014 initW38.2.ora
-rw-r-xr-x 1 oraw38 dba    20102 Aug 28  2011 initW38.db
-rw-r-xr-x 1 oraw38 dba     1716 Jan  4  2015 initW38.ora
-rw-r-x--- 1 root  sapinst  4430 Nov 19  2014 initW38.ora.SAPINST-ORIG
-rw-r-xr-x 1 oraw38 dba    20675 Jan  2  2015 initW38.sap
-rw-r--r-- 1 oraw38 dba    20674 Nov 19  2014 initW38.sap~
-rw-rw---- 1 oraw38 dba        24 Nov 19  2014 lkw38
-rw-r----- 1 oraw38 dba     2048 Nov 19  2014 orapwW38
-rw-r----- 1 oraw38 dba     3584 Nov 19  2014 spfileW38.ora
[root@willsys38 dbs]# vi initW38.sap
[root@willsys38 dbs]# cd /oracle/W38/sapdata1
[root@willsys38 sapdata1]# ll
total 8
drwxr-xr-x 2 oraw38 dba 4096 Aug  5 09:02 cntrl
[root@willsys38 sapdata1]#
```

Go to SID folder delete all the data in sapdata1,2,3,4 and origlogA,B and mirrlogA,B except control files in sapdata1,origlog A and B.



```
Applications Places System 12:46 PM
root@willsys38:/oracle/W38/sapdata1
File Edit View Terminal Tabs Help
[root@willsys38 sapdata1]# df -h
Filesystem      Size  Used Avail Use% Mounted on
/dev/sda5        9.5G 1017M  8.0G  12% /
/dev/sda10       160G   18G  134G  12% /oracle
/dev/sda9        965M   18M  898M   2% /home
/dev/sda8        7.6G  195M   7.0G   3% /opt
/dev/sda7        7.6G  189M   7.0G   3% /tmp
/dev/sda6        7.6G  297M   6.9G   5% /var
/dev/sda3        9.5G  4.6G   4.4G  52% /usr
/dev/sda1        289M   16M  259M   6% /boot
tmpfs            1009M   0 1009M   0% /dev/shm
[root@willsys38 sapdata1]#
```


Check the space by using the command “df -h”



```
Applications Places System 12:50 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
willsys38:oraw38 47> pwd
/oracle/W38/sapbackup
willsys38:oraw38 48> ll
total 158728
-rwxrwxr-x 1 oraw38 dba      211 Jan 10  2015 backW90.log
drwxrwxr-x 2 oraw38 dba     4096 Aug 18 12:28 bepphbtb
-rwxrwxr-x 1 oraw38 dba    34224 Aug 18 12:35 bepphbtb.and
-rwxrwxr-x 1 oraw38 dba     9823 Jan 11  2015 CONTROL.SQL
-rw-r--r-- 1 oraw38 dba     1392 Aug 18 12:48 reonwyoe.rsb
-rw-r--r-- 1 oraw38 dba      131 Aug 18 12:48 restW38.log
drwxrwxr-x 2 oraw38 dba     4096 Jan 10  2015 W90
-rwxrwxr-x 1 oraw38 dba 36643328 Jan  9  2015 W90arch1_909_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 50319872 Jan  9  2015 W90arch1_910_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 50319872 Jan  9  2015 W90arch1_911_864132502.dbf
-rwxrwxr-x 1 oraw38 dba 24949248 Jan 10  2015 W90arch1_912_864132502.dbf
willsys38:oraw38 49> brrestore -m full -b bepphbtb.and -c
```

Now restore the data by logging in to the oracle user (su – ora38) using restore command “**brrestore -m full -b beppxx.and -c**”

```
~]#Su – oraw38
Oraw38>Cd /oracle/SID/sapbackup/
Oraw39>pwd
Oraw40>ll
Oraw41> brrestore -m full -b beppxx.and -c
```




```
Applications Places System 12:53 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
BR0370I Directory /oracle/W38/sapdata3/sr3700_9 created
BR0370I Directory /oracle/W38/sapdata4/sr3700_13 created
BR0370I Directory /oracle/W38/sapdata4/sr3700_14 created
BR0370I Directory /oracle/W38/sapdata4/sr3700_15 created
BR0370I Directory /oracle/W38/sapdata4/sr3700_16 created
BR0370I Directory /oracle/W38/sapdata1/sr3usr_1 created
BR0370I Directory /oracle/W38/sapdata3/undo_1 created
BR0370I Directory /oracle/W38/sapdata1/sysaux_1 created
BR0370I Directory /oracle/W38/sapdata1/system_1 created

BR0456I Probably the database must be recovered due to restore from online backup

BR0280I BRRESTORE time stamp: 2014-08-18 12.53.14
BR0407I Restore of database: W38
BR0408I BRRESTORE action ID: reonwys
BR0409I BRRESTORE function ID: rsb
BR0449I Restore mode: FULL
BR0411I Database files for restore:
/oracle/W38/origlogA/cntrl/cntrlrW38.dbf
/oracle/W38/origlogB/cntrl/cntrlrW38.dbf
/oracle/W38/sapdata1/cntrl/cntrlrW38.dbf
BR0419I Files will be restored from backup: bepphbtb.and 2015-01-10 09.33.07
BR0416I 41 files found to restore, total size 83672.391 MB
BR0423I Files will be decompressed
BR0421I Restore device type: disk
BR0420I Files will be restored from directory: /oracle/W38/sapbackup/bepphbtb
BR0280I BRRESTORE time stamp: 2014-08-18 12.53.14
BR0256I Enter 'c[ont]' to continue, 's[top]' to cancel BRRESTORE:

```

Enter 'C' to continue




```
Applications Places System 12:53 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
BR0370I Directory /oracle/W38/sapdata1/system_1 created

BR0456I Probably the database must be recovered due to restore from online backup

BR0280I BRRESTORE time stamp: 2014-08-18 12.53.14
BR0407I Restore of database: W38
BR0408I BRRESTORE action ID: reonwyys
BR0409I BRRESTORE function ID: rsb
BR0449I Restore mode: FULL
BR0411I Database files for restore:
/oracle/W38/origlogA/cntrl/cntrlW38.dbf
/oracle/W38/origlogB/cntrl/cntrlW38.dbf
/oracle/W38/sapdata1/cntrl/cntrlW38.dbf
BR0419I Files will be restored from backup: bepphbtb.and 2015-01-10 09.33.07
BR0416I 41 files found to restore, total size 83672.391 MB
BR0423I Files will be decompressed
BR0421I Restore device type: disk
BR0420I Files will be restored from directory: /oracle/W38/sapbackup/bepphbtb
BR0280I BRRESTORE time stamp: 2014-08-18 12.53.14
BR0256I Enter 'c[ont]' to continue, 's[top]' to cancel BRRESTORE:
c
BR0280I BRRESTORE time stamp: 2014-08-18 12.53.26
BR0257I Your reply: 'c'
BR0259I Program execution will be continued...
BR0126I Unattended mode active - no operator confirmation required

BR0352I Decompressing /oracle/W38/sapdata1/sr3_1/sr3.data1
BR0355I from /oracle/W38/sapbackup/bepphbtb/sr3.data1.Z ...

```

```
Applications Places System 1:43 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help
BR0280I BRRESTORE time stamp: 2014-08-18 13.37.34
BR0418I 40 of 41 files restored - 83660.312 MB of 83672.391 MB done
BR0204I Percentage done: 99.99%, estimated end time: 13:37
BR0001I *****

BR0352I Decompressing /oracle/W38/sapbackup/cntrlW38.dbf
BR0355I from /oracle/W38/sapbackup/bepphbtb/cntrlW38.dbf.Z ...

#FILE..... /oracle/W38/sapbackup/cntrlW38.dbf
#RESTORED. /oracle/W38/sapbackup/bepphbtb/cntrlW38.dbf.Z #1/41

BR0280I BRRESTORE time stamp: 2014-08-18 13.37.35
BR0418I 41 of 41 files restored - 83672.391 MB of 83672.391 MB done
BR0204I Percentage done: 100.00%, estimated end time: 13:37
BR0001I *****


BR0351I Restoring /oracle/W38/origlogA/cntrl/cntrlW38.dbf
BR0355I from /oracle/W38/sapbackup/cntrlW38.dbf ...

BR0351I Restoring /oracle/W38/origlogB/cntrl/cntrlW38.dbf
BR0355I from /oracle/W38/sapbackup/cntrlW38.dbf ...

BR0351I Restoring /oracle/W38/sapdata1/cntrl/cntrlW38.dbf
BR0355I from /oracle/W38/sapbackup/cntrlW38.dbf ...

BR0406I End of file restore: reonwyys.rsb 2014-08-18 13.37.36
BR0280I BRRESTORE time stamp: 2014-08-18 13.37.36
BR0402I BRRESTORE completed successfully
willsys38:oraw38 50>
```

Restore completed successfully



```
Applications Places System 1:45 PM
root@willsys38:/oracle/W38/sapbackup
File Edit View Terminal Tabs Help

BR0351I Restoring /oracle/W38/origlogA/cntrl/cntrlW38.dbf
BR0355I from /oracle/W38/sapbackup/cntrlW38.dbf ...

BR0351I Restoring /oracle/W38/origlogB/cntrl/cntrlW38.dbf
BR0355I from /oracle/W38/sapbackup/cntrlW38.dbf ...

BR0351I Restoring /oracle/W38/sapdata1/cntrl/cntrlW38.dbf
BR0355I from /oracle/W38/sapbackup/cntrlW38.dbf ...

BR0406I End of file restore: reonwyys.rsb 2014-08-18 13.37.36
BR0280I BRRESTORE time stamp: 2014-08-18 13.37.36
BR0402I BRRESTORE completed successfully
willsys38:oraw38 50> cd /oracle/W38/sapbackup/
willsys38:oraw38 51> ll
total 158756
-rwxrwxr-x 1 oraw38 dba      211 Jan 10  2015 backW90.log
drwxrwxr-x 2 oraw38 dba     4096 Aug 18 12:28 bepphbtb
-rwxrwxr-x 1 oraw38 dba    34224 Aug 18 12:35 bepphbtb.and
-rwxrwxr-x 1 oraw38 dba     9823 Jan 11  2015 CONTR0L.SQL
-rw-r--r-- 1 oraw38 dba     1392 Aug 18 12:48 reonwyoe.rsb
-rw-r--r-- 1 oraw38 dba    24298 Aug 18 13:37 reonwyys.rsb
-rw-r--r-- 1 oraw38 dba      262 Aug 18 13:37 restW38.log
drwxrwxr-x 2 oraw38 dba     4096 Jan 10  2015 W90
-rwxrwxr-x 1 oraw38 dba   36643328 Jan  9  2015 W90arch1_909_864132502.dbf
-rwxrwxr-x 1 oraw38 dba   50319872 Jan  9  2015 W90arch1_910_864132502.dbf
-rwxrwxr-x 1 oraw38 dba   50319872 Jan  9  2015 W90arch1_911_864132502.dbf
-rwxrwxr-x 1 oraw38 dba   24949248 Jan 10  2015 W90arch1_912_864132502.dbf
willsys38:oraw38 52>
```

Related Content:

<http://service.sap.com>

<http://support.sap.com>

www.help.sap.com

www.sdn.sap.com/irj/sdn/index.

Disclaimer and Liability Notice:

WILLSYS will not be held liable for any damages caused by using or misusing the information, code or methods suggested in this document, and anyone using these methods does so at his/her own risk.

WILLSYS offers no guarantees and assumes no responsibility or liability of any type with respect to the content of this technical article or code sample, including any liability resulting from incompatibility between the content within this document and the materials and services offered by WILLSYS. You agree that you will not hold, or seek to hold, WILLSYS responsible or liable with respect to the content of this document.